

AQUATICATM



Digital

06/25/09 for immediate release

ANNOUNCING THE

**HD
WAVE[®]**
DIGITAL VIDEO HOUSING

for the NEW Canon HF S10/100



Included Standard Features:

- ***Marine grade solid aluminum construction***
- ***30° angled large 2.7" LCD viewfinder for easy viewing***
- ***NEW HYBRID design, mechanical controls combined with electronics will allow access to almost ALL camcorder functions, including the crucial manual white balance.***
- ***Wide angle port with macro adapter, a multi-purpose performance lens giving 65°FOV with full zoom through & 85°FOV with partial zooming.***
- ***Internal flip filter arm with UR Pro blue water color correction filter***
- ***Sensitive hydrophone to capture clear underwater sound***
- ***Water sensor alarm with blinking LED***
- ***Bayonet mounted lens system with lock***
- ***Auxiliary port to connect external accessories***
- ***dual grip system including light mounting points for TLC arms***
- ***2 large secure lockable stainless steel latches***
- ***300 feet/ 90 meter operating depth***
- ***Compact & light weight for easy travelling, only 8 lbs dry weight***



SPECIFICATIONS:

Construction:

- Marine grade solid aluminum
- Fully anodized with a hard coat of polyurethane paint
- All hardware is marine grade aluminum & stainless steel

Controls:

- On/Off
- Mode Dial
- Record/ Standby
- Photo
- Zoom Telephoto / Zoom Wide
- Full Menu access
- Full Function access
- Manual Control Knob to access Custom command, (Exposure, focus, assist functions, AGC limit)
- Display button

Features:

- Flip filter Arm with UR Pro blue water color correction filter
- Sensitive Hydrophone to capture clear underwater sound
- Water sensor alarm with blinking LED
- Bayonet Mounted Lens System
- Auxiliary port

Ports:

- **Wide angle port: (INCLUDED AS STANDARD LES with housing)** A good all around performance lens giving 65°FOV with full zoom through, & 85° FOV with macro adapter off the port, giving partial zooming.
- **Standard dome port:** Optically corrected to give 1:1 angle of view underwater, (makes a good back-up lens)
- **Flat port:** Best choice for macro work, allows full zoom through with diopters.

Dimensions:

- 7" D x 4.8" H x 9.5" W (14.5"with handles)
- 17.7cm D x 12.2cm H x 24cm W (37cm with handles)

Weight:

- On land 7.5lbs (Kg) fully loaded w/camera battery and lens.
- In seawater slightly negative buoyancy

Operating Depth:

- 300 feet / 90 meters

RETAIL PRICE / RELEASE DATE "TBA"

www.aquatica.ca

3025 De Baene, Montreal, Quebec, Canada H4S 1K8 - Tel: 514-737-9481 / Fax: 514-737-7685